

# Review of Police-Reported Sexual Assaults Against Persons 16 Years and Older in Edmonton

Sandy Jung, PhD, RPsych
Associate Professor
Department of Psychology

# Overview and Goals

#### Profile

- Examine police-reported sexual assault cases in Edmonton
- Identify areas where reported incidents deviate from the national profile

### Prevention

- Rather than re-invent, evaluate the use of existing sexual violence risk measures in a police context
- Validate a method to better allocate resources to higher risk perpetrators

# **Current Study**

- Examines demographic, offender and victim, assault, and criminal justice variables
- Police-reported sexual assaults against 16 years and older
- Data from 2010-2014



Extraction from EPROS (# of entries / charges)

6324



Reduce to # of occurrences

4886



5 years from 2010 to 2014



Sexual assaults against persons 16 yrs and older

2569



Further reduce to identifiable perpetrators

865



Extraction from EPROS 6324 (# of entries / charges) Reduce to # of 4886 occurrences Sexual assaults against 2569 persons 16 yrs and older

Data Reduction

5 years from 2010 to 2014

Further reduce to identifiable perpetrators 865

Random sample of 300 cases from 2010 to 2013

44% of all cases

Occurrence characteristics

Nature of sexual assault

Offender features

Victim features

# Profile of Reported Sexual Assaults




# Occurrence characteristics

83.4%
of cases cleared by charge
(where there is an identifiable perpetrator)



Relationship between perpetrator and complainant



18% where eyewitnesses present

5% had digital evidence of offence




# Occurrence characteristics

83.4%

of cases cleared by charge (where there is an identifiable perpetrator)

42%
cleared by charge
(StatsCan:2007)

# Relationship between perpetrator and complainant





were charged with sexual assault (s.271)

Alcohol consumption 45% of victims

55% of perpetrators consumed alcohol



Less than 5% involved coperpetrators



94.7%

of cases used physical force (2.6% used an edged weapon, less than

2.6% used an edged weapon, less than 1% used a firearm)





21% committed by multiple perpetrators (Perreault, 2015)

54% of perpetrators consumed alcohol just prior to assault (Perreault, 2015)

Alcohol consumption

45% of victims

55% of perpetrators consumed alcohol



(Perreault, 2015)

94.7%

of cases used physical force

(2.6% used an edged weapon, less than 1% used a firearm)

Less than 5%

involved coperpetrators



53% involved penetrative assaults

47.7% were vaginal

11.3% were anal

14.3% involved digital

1% involved a foreign object

6% involved B&E

1% had rape kits present

7% may have been facilitated by drugs

27%

of victims were passed out or asleep

involved nonsexual violence



33.7% visible/reported injury or hospital



53% involved penetrative assaults

47.7% were vaginal

11.3% were anal

14.3% involved digital

1% involved a foreign object

19% involved penetration (StatsCan:2007)


70-83% reported by victims in trauma centers (U.S.: Larsen et al., 2015; Riggs et al., 2000)




assault (StatsCan:2007)




# Offender features









58% were employed




# Offender features











12 to 89 years
is the age range of offenders
with an average of 35 years


94% committed by males (Perreault, 2015)




34 years average age of perpetrators (Perreault, 2015)

# Offender features


Recidivism with an average followup of 4.3 years (local police data only): what EPS would see on EPROS



Recidivism with an average followup of 3.6 years (comprehensive follow-up data): *EPROS, CoMIS, CPIC* 



# Victim features






is the range of victim age with an average of

28 years





Nearly 50%


had a

documented

history of

victimization





82% of victims are female (Perreault, 2015)

The risk principle


Statistical findings

# Sexual Violence Risk Prediction

Offender risk assessment in policing



# Why is this important?



# Two Assessments Examined

#### Static-99R

(Harris, Phenix, Hanson, & Thornton, 2003)

- Age at arrest\*
- Live-in relationship
- Index non-sexual violence\*
- Prior non-sexual violence
- Prior sex offences
- Prior sentencing
- Non-contact sex offence
- Unrelated victims
- Stranger victims
- Male victims

#### Static-2002R

(Phenix, Doren, Helmus, Hanson, & Thornton, 2008)

- Age at arrest\*
- Persistence of sexual offending (3 items)
- Deviant sexual interests (3 items)
- Relationship to victims (2 items)
- General criminality (5 items)

# Primer on Recidivism Statistics


AUC = .50 is predicting at chance

- Effect sizes:

.56 - small

.64 – moderate

.71 – large




 Confidence interval = range of values (interval) that act as good estimates

- e.g., AUC = .59-.76 → ok AUC = .48-.62 → not predict better than chance


# Static-99R


#### Any offending

# 0.6-0.4-0.2-0.67-0.82 0.00 0.2 0.4 0.6 0.8 1.0





#### Any violent offending





#### Any sexual offending







# Static-2002R


#### Any offending

#### 0.8-0.6-0.4-0.2-0.0-0.0-0.0-0.0-0.71-0.82





#### Any violent offending





#### Any sexual offending





# Conclusions

- Occurrences of reported sexual assault increasing
- Large proportion of occurrences with identifiable perpetrators cleared by charge
- Most perpetrators were single, had criminal histories, and knew the victims
- Existing sexual violence risk measures were able to validly predict recidivism in a police context

# Next research steps

- Examine intimate partner sexual assault
  - Preliminary analyses show IPs were <u>more likely</u> to have prior violent offences, used threats, engaged in nonsexual violence during sexual assault, penetrated their victims, and showed the highest violence risk.



# Next research steps



- Identify risk factors that, when combined, provide the most effective predictors for future violence among sexual assault perpetrators
- Examine the predictive validity of the BARR-2002R (6 items from Static-2002R), which will be examined by honours student, Farron Wielinga

